

# Table of Contents

## List of Tables

## List of Figures

1	Introduction.....	1-1
2	Review of Historic Flood Data .....	2-1
2.1	1950 Flood .....	2-1
2.2	1966 Flood .....	2-1
2.3	Review of 1950 and 1966 Water Level Profiles .....	2-1
2.3.1	Bridge Losses.....	2-1
2.3.2	Water Level Profile.....	2-1
2.3.3	Flow Measurements .....	2-1
2.4	Analysis of 1966 Flow Contributions .....	2-1
2.5	Summary of Review .....	2-1
3	Methods of Backwater Calibration .....	3-1
3.1	Overview to Model Development and Calibration.....	3-1
3.1.1	Study Area .....	3-1
3.1.2	Model Calibration Process.....	3-1
3.2	Development of the Cross-Section Component of the Model .....	3-1
3.2.1	Bridges and Structures .....	3-1
3.3	Hydraulic Roughness in Floodplain Region.....	3-1
3.4	Ineffective Flow Areas.....	3-1
4	Results.....	4-1
4.1	Calibration Results.....	4-1
4.1.1	1966 Calibration Results.....	4-1
4.1.2	1950 Calibration Results.....	4-1
4.1.3	Lake Winnipeg to SALD Calibration .....	4-1
4.1.4	Additional Model Analyses .....	4-1
4.1.4.1	1997 Flood and Floodway Backwater Effect.....	4-1
4.1.4.2	Rating Curves.....	4-1
4.1.4.3	Simulated Water Surface Profile and Bridge Losses versus Observed for 1950 and 1966 Floods.....	4-1
4.1.4.4	Impact of Dyking on Water Surface Profile and Flooded Area.....	4-1
4.2	Floodway Inlet Rating Curve.....	4-1

Table of Contents - 2

4.3	Uncertainty and Sensitivity Analysis.....	4-1
4.4	Model Limitations.....	4-1
4.4.1	Low Flows .....	4-1
4.4.2	Extreme Floods .....	4-1
4.4.3	Ice Conditions .....	4-1
4.4.4	Dynamic Flow Effects .....	4-1
5	References.....	5-11

**Appendix A - Hurst Report on 1950 Flood**

**Appendix B - Development of HEC-RAS Deck**

**Appendix C - Existing Bridges - Circa 1950**

**Appendix D - River Stage Data for 1992**

**Appendix E Historical Modifications to Floodway Inlet Rating Curve**

**Appendix F - Layout of Model Cross-Sections**

**Appendix G - Overbank Roughness Selection in Developed Area**

**Appendix H - Flow Lines for Effective Flow Areas**

## List of Tables

		On or Following
Table 2.1	Recent Historical Stages and Flows on the Red River	2-2
Table 2.2	Selected River Stages from 1950 and 1966 Red River Floods	2-10
Table 2.3	Redwood Meterings from 1950, 1956 and 1966 Floods	2-15
Table 2.4	Computation Sheet to Assess Assiniboine River Contributions in 1966	2-20
Table 2.5	Impact of Applied Metered or Estimated Redwood Flows Versus Published WSC Flow	2-22
Table 2.6	Flow Split and Potential Dates for HEC RAS Calibration	2-22
Table 4.1	Flow Splits for Model Calibration and Verification	4-1
Table 4.2	1966 Calibrated Versus Observed Water Levels	4-3
Table 4.3	1950 Calibrated Versus Observed Water Levels	4-6
Table 4.4	Lake Winnipeg to St. Andrews Lock and Dam Calibrated Versus Observed Water Levels	4-7
Table 4.5	1997 Simulated Versus Observed Water Levels	4-7
Table 4.6	Modelled Versus Observed Bridge Losses 1950 and 1966	4-9
Table 4.7	Floodway Inlet "Natural" Rating Table	4-12
Table 4.8	Overbank Hydraulic Roughness for a Reasonable Range of Manning "n" Values	4-14
Table 4.9	Sensitivity of Computed Floodway Inlet Water Levels to Overbank Hydraulic Roughness	4-14

## List of Figures

		On or Following
Figure 2-1	1950 Flooded Area Map City of Winnipeg	2-3
Figure 2-2	Airphoto of 1950 Flooding of St. Vital and Riverview Area	2-4
Figure 2-3	Photo of Riverview & St. Vital Flooding	2-4
Figure 2-4	Norwood Area Protected by Lyndale Dyke	2-4
Figure 2-5	Estimated Flood Areas for 1950, 1852 and 1826 Floods Without Flood Protection Works	2-4
Figure 2-6	Construction of West Approach Provencher Bridge	2-4
Figure 2-7	Travel Along Completed West Approach, Provencher Bridge	2-4
Figure 2-8	Flooding in Downtown Section of Winnipeg Including CNR Rail Yards (the Forks)	2-4
Figure 2-9	Debris Trapped at Norwood Bridge	2-4
Figure 2-10	Overland Flow - Elm Park Area, St. Vital	2-5
Figure 2-11	Photo of Temporary Wooden Bridge Over Seine River	2-5
Figure 2-12	Location of Constructed Boulevard Dykes and Roadways used for Flood Line of Defence	2-6
Figure 2-13	1966 Flooded Area Map of Winnipeg	2-8
Figure 2-14	Comparison of Water Level Profiles for 1950 and 1966 Flood	2-12
Figure 2-15	Redwood Bridge Rating Curve	2-14
Figure 3-1	Schematic of Development of Acres' HEC-RAS Model	3-6
Figure 3-2	Typical 1951 River Cross Section	3-6
Figure 3-3	Study Area Digital Terrain Map	3-7

## List of Figures - 2

	On or Following
Figure 3-4	Typical Cross Section Layout 3-7
Figure 3-5	Layout of Model Cross Sections – South Section 3-7
Figure 3-6	Layout of Model Cross Sections – North Section 3-7
Figure 3-7	City of Winnipeg Developed Area - Circa 1950 3-10
Figure 4-1	Location of Gauging Stations for Model Calibration 4-1
Figure 4-2	1966 Simulated Water Surface Profiles 4-3
Figure 4-3	1950 Simulated Water Surface Profile 4-6
Figure 4-4	Simulated Water Surface Profiles (Lake Winnipeg to St. Andrews Lock and Dam) 4-7
Figure 4-5	1997 Simulated Water Surface Profiles 4-7
Figure 4-6	James Avenue Rating Curve Simulated versus Existing 4-9
Figure 4-7	Lockport Rating Curve Simulated versus Observed 4-9
Figure 4-8	Comparison of Water Level Profiles for 1950 and 1966 Floods - Middle Church to Norwood Bridge 4-10
Figure 4-9	Affect of Primary Dykes on 1966 Water Surface Profile 4-11
Figure 4-10	Affect of Lyndale Dyke on 1950 Water Surface Profile 4-11
Figure 4-11	Floodway Inlet Rating Curve 4-12